



# Table of contents

Features and Tips	P.1
Explanation of the Brochure	P.2
Clip-on 35mm Hinges & Mounting Plates	P.3 - 5
Clip-On 35mm Soft-close Hinges Mounting plates	P.6 - 9
Slide-on 35 mm Hinges & Mounting Plates	P.10 - 12
Clip-on 26 mm Soft-close Minihinges & Mounting plates	P.13-14
Slide-On 26mm Minihinges & Mounting plates	P.15-16

#### Tips for hinge installations


#### Door width up to 60cm (2')



Up to 90 cm (3') 2 Hinges



Up to 1,6 m (5') 3 Hinges




TUp to 2 m (7') 4 Hinges





> Recommended number of hinges per door related to the maximum door weight and the depth of the hinges holes.

Mini ∅26mm	10 lb	15 lb	20 lb	25 lb
Standard ∅35mm	20 lb	40 lb	60 lb	80 lb
Number of hinges	2	3	4	5

#### Standard Positioning and boring patterns








#### **Possible Adjustments**


Front / Rear








Left / Right







Up / Down









### **Explanation of the brochure**

Maximum opening.


Product code.

Case weight.

Full Overlay

110°





Code	Screw	Case	Weight
402ACP-SM	Screw-In	250	13.5kg (29.7lbs)
404ACP-SM	Knock-In	250	14.1kg (31lbs)

Icon for our Soft-close products.


Fitting type.

Quantity in each case.










Code	Screw	Case	Weight
L442ACP-AE	Screw-In	250	15.5kg (34.2lbs)
L440ACP-AE	Knock-In	250	16.3kg (35.9lbs)

#### Half Overlay

110°






Code	Šcrew	Case	Weight
L442BCP-AE	Screw-In	250	15.8kg (34.8lbs)
L440BCP-AE	Knock-In	250	16.5kg (36.3lbs)

Inset


110°








Code	Screw	Case	Weight
L442CCP-AE	Screw-In	250	16.3kg (35.9lbs)
L440CCP-AE	Knock-In	250	17kg (37.4lbs)


#### Clip-on 35mm Hinges & Mounting plates













#### Clip-on 35mm Hinges & Mounting plates

#### Regular




Code	Height	Screw	Case	Weight
L0447-02	2mm	Screw-In	500	7.2kg (15.8lbs)
L447E-02	2mm	Euro Screws	500	10.6kg (23.3lbs)
L447D-02	2mm	≡ <b> </b> ∞  5mm Dowels	500	9kg (19.8lbs)
L0447-04	4mm	Screw-In	500	7.7kg (16.9lbs)
L447E-04	4mm	Euro Screws	500	11.1kg (24.4lbs)
L447D-04	4mm	■ 5mm Dowels	500	9.5kg (20.9lbs)

## Eccentric adjustment





Code	Height	Screw	Case	Weight
L0449-02	2mm	Screw-In	500	13.7kg (30.1lbs)
L449E-02	2mm	Euro Screws	500	16.9kg (37.2lbs)
L449D-02	2mm	≡ <b> </b> ■□ 5mm Dowels	500	16.9kg (37.2lbs)


#### Face Frame Application



Code	Height	Screw	Case	Weight
L447FF-02	2mm	Screw-In	500	10kg (22lbs)







Weight 16.8kg (37.2lbs)

17.4kg (38.4lbs)

17.9kg (39.5lbs)

#### **Clip-On 35mm Soft-close Hinges & Mounting Plates**



Application: 30°

100°



Code	Screw	Case	Weight
436ACP-SM	Screw-In	100	10.5kg (23.1lbs)
434ACP-SM	Knock-In	100	10.8kg (23.8lbs)

Application: 45°

100°



Code	Screw	Case	Weight
435ACP-SM	Screw-In	100	10.2kg (22.5lbs)
433ACP-SM	Knock-In	100	10.5kg (23.1lbs)

Application: 165°

165°



Code	Screw	Case	Weight
448ACP-SM	Screw-In	100	18.5kg (40.7lbs)
446ACP-SM	Knock-In	100	19kg (41.8lbs)

### Clip-On 35mm Soft-close Hinges & Mounting Plates




Code	Screw	Case	Weight
445ACP-SM	Screw-In	100	10.2kg (22.4lbs)
443ACP-SM	Knock-In	100	10.5kg (23.1lbs)


Full overlay hinge for aluminum profile doors












For "HQ" boring pattern, add "H" in front of the product code. For example: 442ACP-SM becomes H442ACP-SM.


### Clip-On 35mm Soft-close Hinges & Mounting Plates

#### Regular




Code	Height	So	crew	Case	Weight
447ESM-00	0 mm	summy S	crew-In	400	6.3kg (13.9lbs)
447ESM-E0	0 mm	2000[] E	Euro Screws	400	8.6kg (19lbs)
447ESM-D0	0 mm	<b>■</b> ■ 5	mm Dowels	400	8.6kg (19lbs)
447ESM-02	2 mm	400000 S	Screw-In	400	5.7kg (12.6lbs)
447ESM-E2	2 mm		Euro Screws	400	9.1kg (20.1lbs)
447ESM-D2	2 mm	<b>⊞</b>   <b>∞</b> 5	mm Dowels	400	9.1kg (20.1lbs)
447ESM-04	4 mm	<i>₹11111</i> S	Screw-In	400	9kg (19.84lbs)
447ESM-E4	4 mm	2001) E	Euro Screws	400	9.4kg (19.84lbs)
447ESM-D4	4 mm	<b>⊞]∞</b> □ 5	imm Dowels	400	9.4kg (19.84lbs)

## Eccentric adjustment




Code	Height	9	Screw	Case	Weight
447ASM-00	0 mm	<=====\	Screw-In	400	10.4kg (22.9lbs)
447ASM-E0	0 mm		Euro Screws	400	13.2kg (29lbs)
447ASM-D0	0 mm	<b>■</b> ] <b>*</b> □	5mm Dowels	400	11.8kg (26lbs)
447ASM-02	2 mm	<i>&lt;111111</i> ✓	Screw-In	400	11.5kg (25.3lbs)
447ASM-E2	2 mm	(IIII)	Euro Screws	400	14.1kg (31lbs)
447ASM-D2	2 mm	(m)	5mm Dowels	400	11.8kg (26.1lbs)
447ASM-04	4 mm	<i>√111111</i> >	Screw-In	400	11.8kg (26lbs)
447ASM-E4	4 mm		Euro Screws	400	14.2kg (31.2lbs)
447ASM-D4	4 mm		5mm Dowels	400	14.2kg (31.2lbs)

Face Frame Application




Code	Height	Screw	Case	Weight
447FFSM-00	0 mm	Screw-In	400	7.6kg (16.7lbs)

#### Pages 10 - 12 Slide-on 35 mm Hinges & Mounting Plates









Code	Screw	Case	Weight
L442A-NC	Screw-In	250	11.55kg (25.4lbs)
L440A-NC	Knock-In	250	11.7kg (25.7lbs)





Code	Screw	Case	Weight
L442B-NC	Screw-In	250	11.8kg (26lbs)
L440B-NC	Knock-In	250	12.2kg (26.8lbs)

#### Slide-on 35 mm Hinges & Mounting Plates



Application: 45° 45°




Code	Screw	Case	Weight
L435A-NC	Screw-In	100	5.96kg (13lbs)
L433A-NC	Knock-In	100	6.16kg (13.6lbs)

Lazy Susan 135°




Code	Screw	Case	Weight
L432A-NC	Screw-In	100	7.06kg (15.6lbs)
L430A-NC	Knock-In	100	7.36kg (16.22lbs)



Code	Screw	Case	Weight
L448A-NC	Screw-In	100	11.46kg (25.26lbs)
L446A-NC	Knock-In	100	11.86kg (26.14lbs)


#### Slide-on 35 mm Hinges & Mounting Plates



Code	Screw	Case	Weight
L445A-NC	Screw-In	100	10.2kg (22.4lbs)
L443A-NC	Knock-In	100	10.5kg (23.1lbs)

#### **Mounting plates for Slide-On 35 mm hinges**

#### Regular



Code	Height	Screw	Case	Weight
L0444-00	0 mm	Screw-In	500	8kg (17.6lbs)
L444E-00	0 mm	Euro Screws	500	11.5kg (25.3lbs)
L0444-02	2 mm	Screw-In	500	8.5kg (18.7lbs)
L444E-02	2 mm	Euro Screws	500	12kg (26.4lbs)
L0444-04	4 mm	Screw-In	500	9kg (19.8lbs)
L444E-04	4 mm	Euro Screws	500	12.5kg (27.5lbs)

#### **Decorative Covers**




**358CC-NC**Symmetrical screw cover cap for hinge arm



**358FCC-NC**Flange cover cap for standard hinges



H358FCC-NC Flange cover cap for "HQ" hinges series





#### Clip-on 26 mm Soft-close Minihinges & Mounting plates Pages 13 - 14





Code	Screw	Case	Weight
402ACP-SM	Screw-In	250	13.5kg (29.7lbs)
404ACP-SM	Knock-In	250	14.1kg (31lbs)




Code	Screw	Case	Weight
402BCP-SM	Screw-In	250	13.5kg (29.7lbs)
404BCP-SM	Knock-In	250	14.1kg (31lbs)



Code	Screw	Case	Weight
402CCP-SM	Screw-In	250	13.5kg (29.7lbs)
404CCP-SM	Knock-In	250	14.1kg (31lbs)


#### Clip-on 26 mm Soft-close Minihinges & Mounting plates

#### Regular




Code	Height	Screw	Case	Weight
447ESM-00	0 mm	Screw-In	400	6.3kg (13.9lbs)
447ESM-E0	0 mm	Euro Screws	400	8.5kg (18.8lbs)
447ESM-D0	0 mm	■ 5mm Dowels	400	8.6kg (19lbs)
447ESM-02	2 mm	Screw-In	400	6.7kg (14.8lbs)
447ESM-E2	2 mm	Euro Screws	400	9.1kg (20.1lbs)
447ESM-D2	2 mm	≡ 5mm Dowels	400	9.1kg (20.1lbs)
447ESM-04	4 mm	Screw-In	400	9kg (19.84lbs)
447ESM-E4	4 mm	Euro Screws	400	9.4kg (19.84lbs)
447ESM-D4	4 mm	≡ 5mm Dowels	400	9.4kg (19.84lbs)

## Eccentric adjustment




Code	Height	Screw	Case	Weight
447ASM-00	0 mm	Screw-In	400	10.6kg (23.3lbs)
447ASM-E0	0 mm	Euro Screws	400	13.2kg (29lbs)
447ASM-D0	0 mm	■ 5mm Dowels	400	11.8kg (26lbs)
447ASM-02	2 mm	Screw-In	400	11kg (24.2lbs)
447ASM-E2	2 mm	Euro Screws	400	13.6kg (29.9lbs)
447ASM-D2	2 mm	■ 5mm Dowels	400	11.8kg (26.1lbs)
447ASM-04	4 mm	Screw-In	400	11.7kg (25.9lbs)
447ASM-E4	4 mm	Euro Screws	400	14.2kg (31.2lbs)
447ASM-D4	4 mm	5mm Dowels	400	14.2kg (31.2lbs)


Face Frame Application




Code	Height	Screw	Case	Weight
447FFSM-00	0 mm	Screw-In	400	7.6kg (16.7lbs)










### Slide-On 26mm Minihinges & Mounting plates

Regular



Code	Height	Screw	Case	Weight
0410-00	0 mm	Screw-In	500	7kg (15.43lbs)
410E-00	0 mm	Euro Screws	500	10kg (22.04lbs)
0410-03	3 mm	Screw-In	500	7kg (15.43lbs)
410E-03	3 mm	Euro Screws	500	10kg (22.04lbs)

Minihinges with automatic lateral adjustement boring pattern.

