



imppekk



VOLTA OUTLET STRIPS

www.imppekk.com

1855 Hymus
Montréal, QC
H9P 1J8

T: 514.685.2707
T: 800.363.4979
F: 514.685.5920



impekk

Looking for power bars to plug your essential electronic products at your office space? At Impekk, we offer a great selection of outlet strips. Whether you need standard outlet strips or specialty ones where you can plug in your USB devices, phone cables and internet, Impekk has the perfect product for you. We also offer outlet strip boxes and grommets to easily manage your cables.

A world of solutions, service included!

www.impekk.com

INDEX

Standard Outlet Strips



p.4

Outlet Strips with USB Ports



p.8

Outlet Strips with Specialty Wiring



p.12

Recessed Outlet Strips




p.17

Accessories




p.21




Technical Data

Model	918PB2
Specifications	125V AC 60Hz 12A
Outlets	2 outlets (grounded)
Cables	10 ft power supply cable
Standards	
Included	-



Technical Data

Model	918PB4
Specifications	125V AC 60Hz 12A
Outlets	4 outlets (grounded with right angle plug)
Cables	10 ft power supply cable
Standards	
Included	-



Technical Data


Model	917PB6
Specifications	125V AC 60Hz 15A
Outlets	6 outlets (grounded)
Cables	8 ft power supply cable
Standards	
Included	-



European Grounded Flat Plug

9"
228.6 mm

2 3/8"
60 mm




1 1/2"
39 mm




Technical Data

Model	918PB4-EURO1-BL
Specifications	220V AC 60Hz 16A
Outlets	4 outlets (grounded with right angle plug)
Cables	10 ft power supply cable
Standards	CE
Included	-

918PB2-SURF-2U 2-Socket Outlet Strip with USB Ports




Technical Data	
Model	918PB2-SURF-2U
Specifications	125V AC 60Hz 12A
Outlets	2 outlets (grounded), 2 USB outlet 2,1A Total
Cables	10 ft power supply cable
Standards	
Included	-




Technical Data

Model	918PB2-2U/2A
Specifications	125V AC 60Hz 12A
Outlets	2 outlets (grounded), 2 USB outlets: Output 5V/650mA. 2 USB outlet 2,1A Total
Cables	10 ft power supply cable
Standards	
Included	-




Technical Data

Model	918PB3-2U/2A
Specifications	125V AC 60Hz 12A
Outlets	3 outlets (grounded), 2 USB ports, 2 USB outlets 2,1A Total
Cables	10 ft power supply cable
Standards	
Included	-




Technical Data

Model	918PB2-2U
Specifications	125V AC 60Hz 12A
Outlets	2 outlets (grounded), 2 USB outlets: Output 5V/650mA
Cables	10 ft power supply cable
Standards	
Included	-




Technical Data

Model	ART-918PB-EL/MF
Specifications	120V AC 60Hz 15A
Outlets	3 outlets (grounded) with safety tabs, 1 female VGA outlet, 1 2A USB outlet, 1 HDMI outlet, 2 audio/micro outlets, 1 RJ45 & 1 RJ11 outlets
Cables	6 ft power supply cable
Standards	
Included	1 male VGA cable, 1 RJ45 cable, 1 RJ11 cable, 1 HDMI cable, 1 audio/micro cable




Technical Data	
Model	918WQMO-22
Specifications	120V AC 60Hz 12A
Outlets	3 outlets (grounded) with safety tabs, female and male video plugs
Cables	10 ft power supply cable, 1 video cable
Standards	
Included	1 video cable




Technical Data

Model	918PB-4T2
Specifications	125V 60Hz 15A
Outlets	4 outlets (grounded), 1 RJ45 outlet and 1 RJ11 outlet
Cables	10 ft power supply cable
Standards	 US LISTED
Included	1 RJ45 cable, 1 RJ11 cable




Technical Data

Model	918PB-3T2
Specifications	125V 60Hz 13A
Outlets	3 outlets (grounded), 1 RJ45 outlet and 1 RJ11 outlet
Cables	10 ft power supply cable
Standards	
Included	1 RJ45 cable, 1 RJ11 cable



Model	918PS3F-2U
Specifications	125V AC 60Hz 12A
Outlets	3 outlets (grounded), RJ11/RJ45 phone outlet, 2 USB outlets
Cables	10 ft power supply cable
Standards	
Included	2 cleats , 1 USB adapter, 2 USB 2.1A cables, RJ11/RJ45 phone cable



* Available in white on special order




Grounded Plug



Reset Switch

Surge indicator



11 3/8"
289mm



x2 Cleats


Fits in a standard 60mm grommet hole



2 25/32"
71mm

Technical Data

Model	918PB-GROM3-2U-NR
Specifications	125V AC 60Hz 12A
Outlets	3 outlets (grounded), 2 USB outlets (2.4 A total)
Cables	10 ft power supply cable
Standards	
Included	2 Cleats



Technical Data

Model	918PB-GROM2-2U-NR
Specifications	125V AC 60Hz 12A
Outlets	2 outlets (grounded), 2 USB outlets (2.4 A total)
Cables	10 ft power supply cable
Standards	

WLK206-25

Recessed Strip Box (2 Outlets)

Rounded corners for safety and design



Technical Data

Model	WLK206-25
Specifications	12A 125V 60Hz
Outlets	2 outlets
Cables	8 ft power supply cable



Push to open



Soft-Opening Lid



Grounded Plug



➤ Only Impekk offers a support bracket that allows the box to be installed on table tops from 1/8" to 2 3/4" thick.



Special Bracket

WLK206-14AWG Recessed Strip Box (1 Outlet + 2 USB)



Rounded corners for safety and design.



Technical Data

Model	WLK206-14AWG
Specifications	12A 125V 60Hz
Outlets	1 outlet, 2 USB outlets
Cables	8 ft power supply cable

Push to open

Soft-Opening Lid


Grounded Plug

Comes with a charging block allowing you to use your USB for charging ports instead of Data. (2,1A Total)

Data wires included.



Only Impekk offers a support bracket that allows the box to be installed on table tops from 1/8" to 2 3/4" thick.



Special Bracket

WLK201-14AWG Recessed Strip Box (3 Outlets + 2 USB)

Rounded corners for safety and design.



Push to open

Soft-Opening Lid



Grounded Plug



Technical Data

Model	WLK201-14AWG
Specifications	12A 125V 60Hz
Outlets	3 outlets, 2 USB outlets
Cables	8 ft power supply cable


Comes with a charging block allowing you to use your USB for charging ports instead of Data. (2,1A Total)



Data wires included.




➤ Only Impekk offers a support bracket that allows the box to be installed on table tops from 1/8" to 2 3/4" thick.



Special Bracket

Grommets


Cable Management



Code	Colors	Diameter (A)	Case
0623-GR	Grey	44 mm (1 3/4")	250
0623-NR	Black	44 mm (1 3/4")	250
0622-NR	Black	48 mm (1 7/8")	250
0626-BL	White	50 mm (2")	250
0626-NR	Black	50 mm (2")	250
0624-BL	White	64 mm (2 1/2")	250
0624-NR	Black	64 mm (2 1/2")	250
624N-25	Black	70 mm (2 3/4")	250




Code	Colors	Diameter (A)	Case
620N-03	Black	70 mm (2 3/4")	250



Code	Colors	Dimensions (A) (B)	Case
633N-16	Black	47 mm (1 7/8") x 82 mm (3 1/4")	250
633N-25	Black	47 mm (1 7/8") x 82 mm (3 1/4")	250

* 633N-16 -> For a table top that has a thickness of 16mm (5/8").

* 633N-25 -> For a table top that has a thickness of 25mm (1").



Code	Colors	Diameter (A)	Case
0612-BL	White	29 mm (1 1/8")	1000
0612-BR	Brown	29 mm (1 1/8")	1000
0612-NR	Black	29 mm (1 1/8")	1000



Code	Colors	Diameter (A)	Case
627N-60	Black	60 mm (2 3/8")	250
627N-03	Black	77 mm (3")	250
VS 627N-66/20	Black	65 mm (2 5/8")	500
VS 627GR-66/20	Grey	65 mm (2 5/8")	500

VS 627N-66/20



909BTC-BAL

Outlet Strip Box



909BTC-BAL
Brushed Aluminum



Soft-Closing Lid 




909BTC-NR
Black Brushed Aluminum

Special Bracket




➤ Only Impekk offers a support bracket that allows the box to be installed on table tops from 1/2" and 2 3/8" thick.



* Outlet strip not included.



CONSULT OUR OTHER BROCHURES





impekk.com